

TREMSTOP ACRYLIC RUST RED 17L PAILVersion 1
REVISION DATE: 10/21/2005

Print Date 06/22/2006

SECTION 1 - PRODUCT IDENTIFICATION

Trade name : TREMSTOP ACRYLIC RUST RED 17L PAIL
Product code : 901874 805

COMPANY : Tremco Incorporated
3735 Green Road
Cleveland, OH 44122

Telephone : (216) 292-5000 8:30 - 5:00 EST
Emergency Phone: : (216) 765-6727 8:30 - 5:00 EST
After Hours: Chemtrec 1-800-424-9300

Product use : Sealant

SECTION 2 - HAZARDS IDENTIFICATION**Emergency Overview**

Rust Red. Non-sag gunnable paste. May cause slight irritation to the respiratory system. Leave area to breathe fresh air. Avoid further overexposure. If symptoms persist, get medical attention.

Acute Potential Health Effects/ Routes of Entry

Inhalation : May cause slight irritation to the respiratory system.
Eyes : Slightly irritating.
Ingestion : May cause irritation to the mouth, throat and stomach.
Skin : Irritant effect may be delayed.

Aggravated Medical Conditions

Pre-existing eye, skin and respiratory disorders may be aggravated by exposure.

Chronic Health Effects

Long term overexposure to propylene glycol caused liver abnormalities, kidney damage in laboratory animals. Repeated excessive ingestion may cause central nervous system effects. Fillers are encapsulated and not expected to be released from product under normal conditions of use.

SECTION 3 - PRODUCT COMPOSITION**SECTION 4 - FIRST AID MEASURES**

Get immediate medical attention for any significant overexposure.

Inhalation : Leave area to breathe fresh air. Avoid further overexposure. If symptoms persist, get medical attention.

Eye contact : Flush with water for 15 minutes. If irritation persists, get medical attention.

Skin contact : Wash with water. If irritation, rash or other disorders develop, get medical attention immediately.

Ingestion : Do not induce vomiting unless advised by a physician. Call nearest Poison Control Center or Physician immediately.

TREMSTOP ACRYLIC RUST RED 17L PAIL

 Version 1
 REVISION DATE: 10/21/2005

Print Date 06/22/2006

SECTION 5 - FIRE FIGHTING MEASURES

Flash point	:	Not available.
Method	:	Not available.
Burning rate	:	Non-flammable solid
Lower explosion limit	:	Not available.
Upper explosion limit	:	Not available.
Autoignition temperature	:	Not available.
Extinguishing media	:	This product is not expected to burn under normal conditions of use. Use that which is appropriate to the surroundings.
Hazardous combustion products	:	Smoke, fumes.
Protective equipment for firefighters	:	Not applicable. Product is not expected to burn.
Fire and explosion conditions	:	This product not expected to ignite under normal conditions of use.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Use appropriate protective equipment. Avoid contact with material. Scrape up and transfer to appropriate container for disposal. Keep out of water courses.

SECTION 7 - HANDLING AND STORAGE

Prevent inhalation of vapor, ingestion, and contact with skin eyes and clothing. Keep container closed when not in use. Precautions also apply to emptied containers. Do not use in confined or poorly ventilated areas. Store in sealed containers in a dry, ventilated warehouse location above freezing.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION
Personal protection equipment

Respiratory protection	:	Not required under normal conditions of use.
Hand protection	:	Protect hands with impervious gloves.
Eye protection	:	Use safety glasses if eye contact is likely.
Protective measures	:	Use professional judgment in the selection, care, and use. Other equipment not normally required.
Engineering measures	:	General ventilation is sufficient. Use local exhaust when the general ventilation is inadequate.

Exposure Limits

No known components with exposure limits.

TREMSTOP ACRYLIC RUST RED 17L PAILVersion 1
REVISION DATE: 10/21/2005

Print Date 06/22/2006

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Form	: Non-sag gunnable paste
Color	: Rust Red
Odor	: MildGlycolAcrylate
pH	: Not available.
Vapour pressure	: Not available.
Vapor density	: Heavier than air
Melting point/range	: < 32 °C, < 90 °F
Freezing point	: Not available.
Boiling point/range	: Not available.
Water solubility	: Miscible
Specific Gravity	: 1.04
% Volatile Weight	: 34 %

SECTION 10 - REACTIVITY / STABILITY

Substances to avoid : Oxidizing agents.Strong acids.Strong bases.

SECTION 11 - TOXICOLOGICAL INFORMATION

No Data Available

SECTION 12 - ECOLOGICAL INFORMATION

No Data Available

SECTION 13 - DISPOSAL CONSIDERATIONS

Disposal Method : Waste not regulated under RCRA. Incinerate at EPA approved facility or dispose of waste in compliance with state and local regulations.

SECTION 14 - TRANSPORTATION / SHIPPING DATATDG / DOT Shipping Description:
NOT REGULATED**SECTION 15 - REGULATORY INFORMATION****North American Inventories:**All components are listed or exempt from the TSCA inventory.
This product or its components are listed on, or exempt from the Canadian Domestic Substances List.



TREMSTOP ACRYLIC RUST RED 17L PAIL

Version 1

Print Date 06/22/2006

REVISION DATE: 10/21/2005

U.S. Federal Regulations:

- SARA 313 Components : Chlorothalonil 1897-45-6
- SARA 311/312 Hazards : Acute Health Hazard
- OSHA Hazardous Components :
- OSHA Status: Considered hazardous based on the following criteria : Irritant
- OSHA Flammability : Not Regulated
- Regulatory VOC (less water and exempt solvent) : 13 g/l
- VOC Method 310 : 0 %

U.S. State Regulations:

- MASS RTK Components : Amorphous silica 7631-86-9
- Penn RTK Components : Acrylic polymer NJ TSRN# 51721300-5277P
 - Water 7732-18-5
 - White mineral oil 8042-47-5
 - Amorphous silica 7631-86-9
 - Propylene glycol 57-55-6
- NJ RTK Components : Acrylic polymer NJ TSRN# 51721300-5277P
 - Water 7732-18-5
 - White mineral oil 8042-47-5
 - Amorphous silica 7631-86-9
 - Propylene glycol 57-55-6

Chemicals known to the State of California to cause cancer birth defects and/or other reproductive harm:

- 1897-45-6 Chlorothalonil
- 140-88-5 Ethyl Acrylate
- 50-00-0 Formaldehyde

SECTION 16 - OTHER INFORMATION

HMIS Rating :

Health	1
Flammability	0
Reactivity	0
PPE	

- 0 = Minimum
- 1 = Slight
- 2 = Moderate
- 3 = Serious
- 4 = Severe

Further information:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.



TREMSTOP ACRYLIC RUST RED 17L PAIL

Version 1
REVISION DATE: 10/21/2005

Print Date 06/22/2006

Prepared by: Rich Mikol

Legend

ACGIH - American Conference of Governmental Hygienists
CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act
DOT - Department of Transportation
DSL - Domestic Substance List
EPA - Environmental Protection Agency
HMIS - Hazardous Materials Information System
IARC - International Agency for Research on Cancer
MSHA - Mine Safety Health Administration
NDSL - Non-Domestic Substance List
NIOSH - National Institute for Occupational Safety and Health
NTP - National Toxicology Program
OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limit
RCRA - Resource Conservation and Recovery Act
RTK - Right To Know
SARA - Superfund Amendments and Reauthorization Act
STEL - Short Term Exposure Limit
TLV - Threshold Limit Value
TSCA - Toxic Substances Control Act
TWA - Time Weighted Average
V - Volume
VOC - Volatile Organic Compound
WHMIS - Workplace Hazardous Materials Information System